



Klein Side-Cutting Pliers

The famous Klein side-cutting plier that has been the standard in the electrical industry from the start. Handles are shaped to the curvature of the hand for added comfort. Powerful leverage and keen reinforced cutting knives make this plier adaptable for every job.



Cat. No.	Size
201-5	5 in.
201-6	6 in.
201-7	7 in.
201-8	8 in.
201-9	9 in.

Klein Side-Cutting Plier N.E. Type (Streamlined)

Similar to the 201 shown above except that the nose is rounded to permit working in confined space. All edges are also rounded to prevent any danger of nicking wire.




Cat. No.	Size
201-5 N. E.	5 in.
201-6 N. E.	6 in.
201-7 N. E.	7 in.
201-8 N. E.	8 in.
201-9 N. E.	9 in.

Klein Kut High-Leverage Plier

A quality plier that will cut regular wire and also provide easy cutting of weatherproof hard-drawn copper wire up to No. 2. Can be used for A. C. S. R.

Gives necessary high leverage without extra hinging or uncomfortable widespread handles. Weighs no more than regular side-cutting pliers.



Cat. No.	Size
213-9	9 in.


Klein Kut High-Leverage Plier N. E. Type (Streamlined)

The same as 213-9 shown above, but with the rounded nose and edges characteristic of all Klein N. E. Streamlined side-cutting pliers. Like the 213-9 this N. E. type has the unique high-leverage characteristics that permit cutting through heavy-duty wire with one-hand operation.

Cat. No.	Size
213-9 N. E.	9 in.

Klein Long-Nose Plier

The famous Klein long-nose plier that has become the standard for electricians and general mechanics. The extra-long range of the jaws permits getting into small, difficult places. Ideal for television, radio, telephone work, armature winding, etc. Specially hardened and tempered to assure positive grip at point of nose when pressure is applied. Point 3/32 in. round.




Cat. No.	Size
301-5	5 in.
301-6	6 in.
*301-7	7 in.

*This plier has extra-long nose measuring 2 3/4 inches from center of hinge to point.

Klein Long-Nose Side-Cutting Plier

This plier has the same features as the No. 301 series shown above but in addition, cutting knives are provided at the hinge. These knives are carefully sharpened, hardened, and tempered, assuring true cutting. Point 3/32 in. round. *This plier has extra-long nose measuring 2 3/4 inches from center of hinge to point.



Cat. No.	Size
203-5	5 in.
203-6	6 in.
*203-7	7 in.

Klein Long-Nose Plier with Knife at Point


This plier is designed to permit cutting light wires where it is necessary to reach into confined spaces such as in radio and TV sets. Largely used in manufacturing and servicing radios and TV sets.



Cat. No.	Size
301-6P	6 in.

Klein Special Needle-Nose Plier

This needle-nose plier is designed to reach into extremely small spaces. Tip of nose measures less than 1/16 in. Nose of plier specially tempered to prevent distortion.



Cat. No.	Size
301-6-SCP	6 in.
203-6-SCP with cutters	6 in.

Klein Needle-Nose Plier with Stripping Notches


A needle-nose plier similar to 203 but with two stripping holes in the cutting blades. Designed to strip insulated wire, gauge 19 and 22. Used extensively in telephone and electronics fields.



Cat. No.	Size
203-6-H2	6 in.

Klein Long-Nose Plier


A newly designed plier with an extremely slim nose suitable for working in confined places. Jaws are knurled to assure a positive grip.



Cat. No.	Size
307-5 1/2	5 1/2 in.

Klein Chain-Nose Plier


Suitable for all types of precision work in close quarters—over-all dimensions smaller than standard Klein chain-nose pliers. Furnished with a very fine knurl that will not damage soft wire. Can be supplied without knurl to order.



Cat. No.	Size
317-5	5 in.

Klein Duckbill Plier


A new, small plier with duckbill jaws sufficient width to hold small springs, yet small enough to form wire in confined places. Furnished standard without knurl.



Cat. No.	Size
306-5 1/2	5 1/2 in.

Klein Chain-Nose Plier


This plier is intended for general use where a shorter nose than that provided in the Klein long-nose plier is desired.



Cat. No.	Size
317-6	6 in.
217-6	6 in. with cutters

Klein Long Flat-Nose Plier

The long, flat nose of this plier makes it particularly adaptable to switchboard work, telephone and telegraph work, armature winding, etc. Hardened and tempered so that the jaw will not spring when pressure is applied. Ideal for spring adjusting. Usually furnished with knurled jaws but inside of jaws may be left smooth if desired. With or without cutting knives.




Cat. No.	Size
305-6 without cutting knives	6 in.
206-6 with cutting knives	6 in.



Klein Traverse End-Cutting Plier

This is a long-nose plier for reaching into confined spaces with keen-cutting knives at the end. Ideal for switchboard or TV wiring, wherever it is necessary to work in confined space. Particularly useful in precision work where ordinary oblique or end cutters are too large.



Cat. No. 204-6 Size 6 in.

Klein "Auto" Oblique-Cutting Plier "Handform" Handles

Made especially for mechanics who want a high-quality oblique cutter. Knives are close cutting and carefully matched their full length. Useful for pulling cotter pins, etc. "Handform" handles assure greater comfort.



Cat. No. 220-7 Size 7 in.

Klein Heavy-Cutting Oblique Plier


Similar to 220-7 shown above but with $\frac{3}{8}$ -in. jaw for ease in heavier cutting. This short-nosed plier is particularly useful where extra leverage is required.



Cat. No. 220-7 SN Size 7 in.

Klein Oblique-Cutting Plier


For cutting small wires or trimming plastic. Entire length of cutting knives works flush against cutting surface, giving a close, clean trim.



Cat. No. 210-5 Size 5 in.
210-6 Size 6 in.

Klein Lightweight Oblique-Cutting Plier

Smaller than 210-5 shown above with an extremely narrow head for cutting in confined places.



Cat. No. 209-5 Size 5 in.

Klein Oblique Skinning Plier (Bell System Type; "V" Notch Diagonal)


A special plier designed for work on switchboards, amplifiers or wherever small wire must be skinned. "W" Notch is provided to slit acetate. An additional "V" notch is provided at the hinge to crush insulation.



Cat. No. 528 Size 5 in.

Klein Narrow-Nosed Oblique-Cutting Plier


A handy tool designed to get into confined places. Cuts close. Knives are fitted to meet accurately at all points.



Cat. No. 202-5 Size 5 in.
202-6 Size 6 in.

Klein Oblique-Cutting Plier

With "W" Stripping Notches, Sleeve Openings, and Skinning Hole




Cat. No. 202-5-SW Size 5 1/2 in.

An all-purpose tool for telephone installation and maintenance work. The "W" notches will slit cellulose acetate and other insulations from wires up to .58 O.D. A stripping hole, .052 diameter, is provided in blades. Sleeve openings in handles.

Klein Coil Spring

The pliers listed below may be had with a coil spring to hold the jaws in open position for immediate use. The sturdy spring is guaranteed for the life of the plier. With this new spring, inside of handles is unobstructed and may be had with Klein dipped-on plastic coated handles.



LONG NOSE


Cat. No.	Cat. No.
301-5-C	317-5-C
301-6-C	306-5 1/2-C
301-7-C	204-6-C
301-6PC	203-5-C
301-6-SCP-C	203-6-C
203-6-SCP-C	203-7-C
307-5 1/2-C	

OBLIQUE CUTTERS

Cat. No.	Cat. No.
210-5-C	202-5-C
210-6-C	202-6-C
209-5-C	245-5-C

Klein Oblique-Cutting Plier


This plier measures exactly 5 in. in length and is slightly smaller in all dimensions than the 202-5 shown above.



Cat. No. 245-5 Size 5 in.

Klein Oblique-Cutting Plier Heavy-Duty Pattern


Similar in construction to No. 202 but made heavier to meet the requirements of those desiring a stronger plier for general work.



Cat. No. 242-6 Size 6 in.

Klein Oblique-Cutting Plier

Sturdy oblique-cutting plier that is an all-purpose tool for production telephone installation, and maintenance work.




Cat. No. 252-6 Size 6 in.

Klein Oblique-Cutting Plier

With Stripping Notches, Sleeve Opening and Skinning Hole (Bell System Type)

Similar to the 252-6 shown above, but with "W" notches to slit cellulose acetate and other insulation from wires up to .058 O.D. Stripping hole, .052 diameter, is provided in blades. Sleeve openings in handles.




Cat. No. 252-6-SW Size 6 in.

Klein End-Cutting Plier

A very useful tool for electricians and mechanics. Permits cutting wire or nails close to the work. Stout jaws and broad, keen-cutting knives. Ample room is provided in the throat of pliers for unusual conditions.


*The 7-in. size has "handform" handles as used on our side-cutting pliers.



Cat. No. 232-5 1/2 Size 5 1/2 in.
*232-7 Size 7 in.

Klein Long Curved-Nose Plier


The curved nose of this plier is ideal for working in confined space. The angle is designed to give full clearance and prevents skinning of knuckles. The jaws will not lose their shape or set when pressure is applied.



Cat. No. 302-6 Size 6 in.

Klein Cord-Tip Closing Plier

The sturdy jaws permit using this plier as a press for closing cord tips such as W. E. 101 and 102 (new nos. 120 and 121). The circular openings are correctly sized to insure perfect connections. Diameter of holes are .129 in. and .156 in., respectively.




Cat. No. 039 Size 5 in.



"Klein-Kord" Nylon Safety Strap

A strong, high quality safety strap, "Klein-Kord" Nylon possessing excellent dielectric characteristics. Klein Red Center for safety.



Cat. No.	Snaps	Size	Av. Wgt. Per Doz.
5294	Standard	1 3/4" x 5 1/4"	34 lb.
KL5294	"Klein-Lok"	1 3/4" x 5 1/4"	34 lb.
5294-7	Standard	1 3/4" x 7'	38 lb.
KL5294	"Klein-Lok"	1 3/4" x 7'	38 lb.

Klein Electrician's Waist Belt


A lightweight belt of genuine harness leather with tool loops and tape thong. May be used with Klein Tool Pockets. Handy for electrician's use. Sizes: 36", 38", 40", 42", 44" and 46".



Cat. No.	Size—Adjustable
5207M	32 to 40 in.
5207L	38 to 46 in.

Leather Tool Belt


Made of first quality harness leather. "D" rings are solid drop steel forgings tested to 1,500 lb. All rivets are solid copper and sewing is with hot waxed linen thread, lock stitched.



Cat. No.	Width	Av. Wgt. Per Doz.
5204	3 1/2"	34 lb.

Klein Combination Tool Pocket

A high-quality pocket specially designed for electricians and maintenance men. Has large utility pocket, two screw driver pockets, two plier pockets and a handy knife snap. Made of high-grade leather to give finest service. Size overall, 8 1/2 in. high; width, 6 1/2 in. Many other types available.



Cat. No. 5126

Klein-Koat Plastic Cover for Plier Handles

These plastic covers provide a non-skid grip and assure greater comfort when used on Klein Pliers.

Made of transparent plastic in a bright maroon. Simple to apply in a matter of seconds to conform to the shape of the handle assuring a tight grip. Does away with the practice of taping handles.



Cat. No.
60 to fit 6-in. pliers
70 to fit 7-in. pliers
89 to fit 8- and 9-in. pliers

Dipped Handles

Klein Pliers may now be ordered with dipped-on plastic coating. This provides a heavy, comfortable, plastic coating that cannot come off, and yet may be removed if desired. Prices on request.

Klein "Xela" Electricians' Scissors

A scissor designed for the electrician and mechanic. Will stand continued hard service. Made of high-grade steel carefully tempered. Has screw hinge to allow for adjustment. Nickel plated.



Cat. No.	Size
2100-5	5 in.

Klein "XELA" Electrician's Knife

This knife is designed especially for the electrician and maintenance man. Has a sharp general utility blade and a screw driver blade which locks automatically in open position.


The blades are of high-grade cutlery steel carefully tempered. Fitted with wrought shackle riveted in handle.



Cat. No.	Length Closed
1550-2	4 in.

Klein "XELA" Lineman's Knife


A sturdily constructed knife designed for long, hard service. Single 3-in. blade is of high-grade, carefully tempered cutlery steel. Blade locks automatically in open position. Hard wood handle is rounded and designed for firm, comfortable grip. Fitted with spring shackle.



Cat. No.	Length Closed
1550-4	4 in.

Klein Plastic Handle Skinning Knife

A high-quality skinning knife with plastic insulated handle. Handle is red and provides excellent insulation and comfortable grip. Back of blade ground flat for scraping. Handy ring in handle for fastening to snap.



Cat. No.	Length Overall	Blade
1570-3	8 in.	3 in.

Klein "XELA" Skinning Knife

A high-quality knife designed for skinning. Particularly used in the telephone field. Hard wood handle with ring for attaching to snap.



Cat. No.	Size
1550-5	5 in.